


# Warp T One



colour included  
in the price



**Warp T One** 1110↑ × 600⇔ E1  
colour: Soft 1023

ONE heating element



**TERMA**

SINCE 1990



# Warp T One




colour included in the price

Projekt : Terma


## Standard connections:

A  $\updownarrow$  655÷1695:





Electric radiators:

A  $\updownarrow$  785÷1695:



## Available sizes:






# Warp T One



 colour included in the price

## Water heaters – specification:

Working pressure: 600 kPa    Maximum operating temperature: 82°C

A ↓ [mm]	B ↔ [mm]	75/65/20°C [W]	55/45/20°C [W]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]	Product Code <small>configuration code p. 6</small>
655	500	325	176	300	470	515	70	1,72	12,33	WZWTN065050
655	600	383	208	400	570	515	70	1,99	14,45	WZWTN065060
785	500	400	217	400	470	645	70	2,26	15,23	WZWTN078050
785	600	470	254	400	570	645	70	2,59	17,88	WZWTN078060
915	500	475	257	400	470	775	70	2,79	18,12	WZWTN091050
915	600	555	300	600	570	775	70	3,19	21,31	WZWTN091060
1110	500	553	298	600	470	970	70	3,42	21,19	WZWTN111050
1110	600	650	350	600	570	970	70	3,88	24,92	WZWTN111060
1695	500	846	453	800	470	1555	70	5,64	32,94	WZWTN169050
1695	600	1000	535	1000	570	1555	70	6,36	38,80	WZWTN169060




## Electrical specification:

**Power supply:** 230 V / 50 Hz

**Device protection class:** Class I

**Ingress protection [IP]:** IPx5

## Electric heaters – specification:

A ↓ [mm]	B ↔ [mm]	 [W]	D [mm]	E [mm]	F [mm]	 [dm³]	 [kg]	Product Code <small>configuration code p. 6</small>
785	500	400	470	645	70	2,77	17,47	WWWTN078050
785	600	400	570	645	70	3,10	20,39	WWWTN078060
915	500	400	470	775	70	3,30	20,79	WWWTN091050
915	600	600	570	775	70	3,70	24,31	WWWTN091060
1110	500	600	470	970	70	3,93	24,37	WWWTN111050
1110	600	600	570	970	70	4,39	28,48	WWWTN111060
1695	500	800	470	1555	70	6,15	37,92	WWWTN169050
1695	600	1000	570	1555	70	6,87	44,36	WWWTN169060


# Warp T One







colour included  
in the price

## Technical drawing:

**S8**





**S1**



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres  
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

**Collector :**

**Pipe :**



# Warp T One



 colour included  
in the price

In the table with technical data, the last column lists product codes. When placing an order, please remember to quote the product code followed by the configuration code as shown in the diagram below:

## The construction of a configuration code of a water radiator with a built-in One heating element:

WZWWTN065050

PRODUCT CODE  
(located in the table for the product)

K916S1E

CONIGURATION CODE  
(supplemented by hand)

Cable Type

**W** – straight cable with plug  
**P** – straight cable without plug  
**U** – spiral cable with plug

### Example Configuration

**K** **916** **S1** **P** **E**

Package code   Plate color code   Connection code   Cable Type code  
*K - carton box*

## The Construction of the product and configuration code for a radiator with the built-in heating element ONE:

WWWWTN078050

PRODUCT CODE  
(located in the table for the product)

K916E1WE1

CONIGURATION CODE  
(supplemented by hand)

Cable Type

**W** – straight cable with plug  
**P** – straight cable without plug  
**U** – spiral cable with plug

### Example Configuration

**K** **916** **E1** **W** **E** **1**

Package code   Plate color code   Connection code   Cable Type code   Heater color code  
*K - carton box*  
*1 - white, 2 - black, 3 - chrome  
4 - silver*

## Epoxy primer

**E** – Code of epoxy primer is an extra processes.

WZWWTN065050 K916S1 **E** — Extra processes or additions code

# Warp T One



 colour included  
in the price

## Legend




Radiator available in a "water" version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator. The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in chrome finish.



No additional payment for a color.